

Neurofeedback Research: Concussion, Trauma, and mTBI

- Ayers, M. E. (1987). Electroencephalic neurofeedback and closed head injury of 250 individuals. *Head Injury Frontiers*. National Head Injury Foundation, 380–392.
- Ayers, M. E. (1991). A controlled study of EEG neurofeedback training and clinical psychotherapy for right hemispheric closed head injury. Paper presented at the National Head Injury Foundation, Los Angeles, 1991.
- Ayers, M. E. (1995a). A controlled study of EEG neurofeedback and physical therapy with pediatric stroke, age seven months to age fifteen, occurring prior to birth. *Biofeedback & Self-Regulation*, 20(3), 318.
- Ayers, M. E. (1995b). EEG neurofeedback to bring individuals out of level 2 coma. *Biofeedback & Self-Regulation*, 20(3), 304–305.
- Ayers, M. E. (1999). Assessing and treating open head trauma, coma, and stroke using real-time digital EEG neurofeedback. Chapter in J. R. Evans & A. Abarbanel (Eds.), *Introduction to Quantitative EEG and Neurofeedback*. New York: Academic Press, 203–222.
- Bearden, T. S., Cassisi, J. E., & Pineda, M. (2003). Neurofeedback training for a patient with thalamic and cortical infarctions. *Applied Psychophysiology & Biofeedback*, 28(3), 241–253.
- Bounias, M., Laibow, R. E., Bonaly, A., & Stubblebine, A. N. (2002). EEGneurobiofeedback treatment of patients with brain injury: Part 1: Typological classification of clinical syndromes. *Journal of Neurotherapy*, 5(4), 23–44.
- Bounias, M., Laibow, R. E., Stubblebine, A. N., Sandground, H., & Bonaly, A. (2002). EEG neurobiofeedback treatment of patients with brain injury Part 4: Duration of treatments as a function of both the initial load of clinical symptoms and the rate of rehabilitation. *Journal of Neurotherapy*, 6(1), 23–38.
- Byers, A. P. (1995). Neurofeedback therapy for a mild head injury. *Journal of Neurotherapy*, 1(1), 22–37.
- Cannon, K. B., Sherlin, L., & Lyle, R. R. (2010). Neurofeedback efficacy in the treatment of a 43-year-old female stroke victim: a case study. *Journal of Neurotherapy*, 14(2), 107–121.
- Doppelmayr, M., Nosko, H., Pecherstorfer, T., & Fink, A. (2007). An attempt to increase cognitive performance after stroke with neurofeedback. *Biofeedback*, 35(4), 126–130.
- Duff, J. (2004). The usefulness of quantitative EEG (QEEG) and neurotherapy in the assessment and treatment of post-concussion syndrome. *Clinical EEG & Neuroscience*, 35(4), 198–209.

- Hammond, D. C. (2005). Neurofeedback to improve physical balance, incontinence, and swallowing. *Journal of Neurotherapy*, 9(1), 27–48.
- Hammond, D. C. (2007). Can LENS neurofeedback treat anosmia resulting from a head injury? *Journal of Neurotherapy*, 11(1), 57–62.
- Hoffman, D. A., Stockdale, S., & Van Egren, L. (1996a). Symptom changes in the treatment of mild traumatic brain injury using EEG neurofeedback [Abstract]. *Clinical Electroencephalography*, 27(3), 164.
- Hoffman, D. A., Stockdale, S., & Van Egren, L. (1996b). EEG neurofeedback in the treatment of mild traumatic brain injury [Abstract]. *Clinical Electroencephalography*, 27(2), 6.
- Keller, I. (2001). Neurofeedback therapy of attention deficits in patients with traumatic brain injury. *Journal of Neurotherapy*, 5(1-2), 19–32.
- Keller, I., Garbacenkaite, R., (2015). Neurofeedback in three patients in the state of unresponsive wakefulness. *Applied Psychophysiology & Biofeedback*, 40(4), 349-356. doi: 10.1007/s10484-015-9296-7
- Laibow, R E., Stubblebine, A. N., Sandground, H.,& Bounias, M. (2002). EEG neurobiofeedback treatment of patients with brain injury: Part 2: Changes in EEG parameters versus rehabilitation. *Journal of Neurotherapy*, 5(4), 45–71
- Nelson, D., & Esty, M. (2012). Neurotherapy of traumatic brain injury/posttraumatic stress symptoms in oef/oif veterans. *The Journal of Neuropsychiatry and Clinical Neurosciences*, 24(2), 237-240.
- Schoenberger, N. E., Shiflett, S. C., Esty, M. L., Ochs, L., & Matheis, R. J. (2001). Flexyx neurotherapy system in the treatment of traumatic brain injury: An initial evaluation. *Journal of Head Trauma Rehabilitation*, 16(3), 260–274.
- Swatzyna, R.J. (2009). The Elusive Nature of Mild Traumatic Brain Injury. *Biofeedback*, 37(3): 92-95.
- Thatcher, R. W. (2000). EEG operant conditioning (biofeedback) and traumatic brain injury. *Clinical Electroencephalography*, 31(1), 38–44.
- Thornton, K. (2000). Improvement/rehabilitation of memory functioning with neurotherapy/QEEG biofeedback. *Journal of Head Trauma Rehabilitation*, 15(6), 1285-1296.
- Thornton, K. (2002) The improvement/rehabilitation of auditory memory functioning with EEG biofeedback. *Neurorehabilitation*, 17(1), 69–81.
- Thornton, K. E., & Carmody, D. P. (2005). Electroencephalogram biofeedback for reading disability and traumatic brain injury. *Child & Adolescent Psychiatric Clinics of North America*, 14(1), 137–162.
- Thornton, K. E., & Carmody, D. P. (2008). Efficacy of traumatic brain injury rehabilitation: Interventions of QEEG-guided biofeedback, computers,

strategies, and medications. *Applied Psychophysiology & Biofeedback*, 33(2), 101–124.

- Tinius, T. P., & Tinius, K. A. (2001). Changes after EEG biofeedback and cognitive retraining in adults with mild traumatic brain injury and attention deficit disorder. *Journal of Neurotherapy*, 4(2), 27–44.
- Walker, J. E. (2007). A neurologist's experience with QEEG-guided neurofeedback following brain injury. Chapter in J. R. Evans (Ed.), *Handbook of Neurofeedback*. Binghamton, NY: Haworth Medical Press, 353–361.
- Wing, K. (2001). Effect of neurofeedback on motor recovery of a patient with brain injury: A case study and its implications for stroke rehabilitation. *Topics in Stroke Rehabilitation*, 8(3), 45–53.
- Yoo, S. S., & Jolesz, F. A. (2002). Functional MRI for neurofeedback: feasibility study on a hand motor task. *Neuroreport*, 13, 1377–1381.