

Neurofeedback Research: Focus/Attention

- Alegria AA, Wulff M, Brinson H, Barker GJ, Norman LJ, Brandeis D, Stahl D, David AS, Taylor E, Giampietro V, Rubia K. Real-time fMRI neurofeedback in adolescents with attention deficit hyperactivity disorder. *Hum Brain Mapp.* 2017 Jun;38(6):3190-3209.
- Alhambra, M. A., Fowler, T. P., & Alhambra, A. A. (1995). EEG biofeedback: A new treatment option for ADD/ADHD. *Journal of Neurotherapy*, 1(2), 39–43.
- Arns, M. (2012). EEG-based personalized medicine in ADHD: Individual alpha peak frequency as an endophenotype associated with nonresponse. *Journal of Neurotherapy*.
- Arns, M., Conners, C. K., Kraemer, H.C. (2013). A decade of EEG theta/beta ratio research in ADHD: a meta-analysis. *Journal of Attention Disorders*, 17(5), 374-383. doi: 10.1177/1087054712460087
- Arns, M, de Ridder, S, Strehl, U, Breteler, M, & Coenen, A. (2009). Efficacy of neurofeedback treatment in ADHD: The effects on inattention, impulsivity and hyperactivity: A meta-analysis. *Clinical EEG and Neuroscience*, 40(3) 180–189.
- Arns, M, Feddema, I, & Kenemans, J. (2014) Differential effects of Theta/Beta and SMR neurofeedback in ADHD on sleep onset latency. *Frontiers in Human Neuroscience* 8:1019. doi:10.3389/fnhum.2014.01019
- Barabasz, A., & Barabasz, M. (1996). Neurotherapy and alert hypnosis in the treatment of attention deficit disorder. Chapter in S. J. Lynn, I. Kirsch, & J. W. Rhue (Eds.), *Casebook of Clinical Hypnosis*. Washington, D.C.: American Psychological Association Press, 271–292.
- Barabasz, A., & Barabasz, M. (2000). Treating AD/HD with hypnosis and neurotherapy. *Child Study Journal*, 30(1), 25–42.
- Beauregard, M., & Levesque, J. (2006). Functional magnetic resonance imaging investigation of the effects of neurofeedback training on the neural bases of selective attention and response inhibition in children with attention-deficit/hyperactivity disorder. *Applied Psychophysiology & Biofeedback*, 31(1), 3–20.
- Becerra J, Fernández T, Harmony T, Caballero MI, García F, Fernández-Bouzas A, Santiago-Rodríguez E, Prado-Alcalá RA. (2006) “Follow-up study of Learning Disabled children treated with Neurofeedback or placebo.” *Clinical EEG & Neuroscience*, 37 (3), 198–203.
- Bhayee S, Tomaszewski P, Lee DH, Moffat G, Pino L, Moreno S, Farb NA. Attentional and affective consequences of technology supported mindfulness

training: a randomised, active control, efficacy trial. *BMC Psychol.* 2016 Nov 29;4(1):60.

- Bink, M., Nieuwenhuizen, C., Popma, A., Bongers, I., Boxtel, G. (2015). Behavioral effects of neurofeedback in adolescents with ADHD: a randomized controlled trial. *European Child & Adolescent Psychiatry*, 24(9), 1035-1048. doi: 10.1007/s00787-014-0655-3
- Boyd, W. D., & Campbell, S. E. (1998). EEG biofeedback in the schools: The use of EEG biofeedback to treat ADHD in a school setting. *Journal of Neurotherapy*, 2(4), 65–71.
- Breteler, M. H. M., Arns, M., Peters, S., Giepmans, I., & Verhoeven, L. (2010). Improvements in spelling after QEEG-based neurofeedback in dyslexia: A randomized controlled treatment study. *Applied Psychophysiology & Biofeedback*, 35(1), 5–11.
- Breteler, R., Pesch, W., Nadorp, M. (2012) Neurofeedback in residential children and adolescents with mild mental retardation and ADHD behavior. *Journal of Neurotherapy*.
- Carmody, D. P., Radvanski, D. C., Wadhwani, S., Sabo, J. J., & Vergara, L. (2001). EEG biofeedback training and attention-deficit/hyperactivity disorder in an elementary school setting. *Journal of Neurotherapy*, 4(3), 5–27.
- Carter, J. L., & Russell, H. L. (1991). Changes in verbal performance IQ discrepancy scores after left hemisphere frequency control training: A pilot report. *American Journal of Clinical Biofeedback*, 4(1), 66–67
- Coben, R., Wright, E. K., Decker, S. L., Morgan, T. (2015). The Impact of Coherence Neurofeedback on Reading Delays in Learning Disabled Children: A Randomized Controlled Study. *NeuroRegulation* 2(4), 158-178.
- Cunningham, M., & Murphy, P. (1981). The effects of bilateral EEG biofeedback on verbal, visuospatial and creative skills in LD male adolescents. *Journal of Learning Disabilities*, 14(4), 204–208.
- Drechsler R, Straub M, Doehnert M, Heinrich H, Steinhausen H, Brandeis D. (2007). Controlled evaluation of a neurofeedback training of slow cortical potentials in children with ADHD. *Behavioral & Brain Functions*, 3, 35.
- Dupuy, E. F., & Clarke, A.(2012). EEG activity in females with attention-deficit/ hyperactivity disorder.
- Duric NS, Assmus J, Gundersen D, Duric Golos A, Elgen IB. Multimodal treatment in children and adolescents with attention-deficit/hyperactivity disorder: a 6-month follow-up. *Nord J Psychiatry*. 2017 Jul;71(5):386-394. doi: 10.1080/08039488.2017.1305446. Epub 2017 Mar 27.
- Egner, T., & Gruzelier, J. H. (2001). Learned self-regulation of EEG frequency Components affects attention and event-related brain potentials in humans. *NeuroReport*, 12, 4155–4159.

- Egner, T., & Gruzelier, J. H. (2004). EEG biofeedback of low beta band components: Frequency-specific effects on variables of attention and event-related brain potentials. *Clinical Neurophysiology*, 115, 131–139.
- Escolano, C., Navarro-Gil, M., Garcia-Campayo, J., Congedo, M., Minguez, J. (2014). The effects of individual upper alpha neurofeedback in ADHD: an open-label pilot study. *Applied Psychophysiology & Biofeedback*, 39(3-4), 193-202. doi: 10.1007/s10484-014-9257-6
- Eugene, A. L., Arns, M., Conners, K. deBeus, R., Hirshberg, L., Kerson, C. ... Monastra, V. (2013). A proposed multisite double-blind randomized clinical trial of neurofeedback for ADHD: need, rationale, and strategy. *Journal of Attention Disorders*, 17(5), 420–436. doi: 10.1177/1087054713482580
- Eugene, A. L., Lofthouse, N., Hersch, S., Pan, X., Hurt, E., Bates, B., ... Grantier, C. (2013). EEG neurofeedback for ADHD: double-blind sham-controlled randomized pilot feasibility trial. *Journal of Attention Disorders*, 17(5), 410–419. doi: 10.1177/1087054712446173
- Fehmi, L. G. (2007). Multichannel EEG phase synchrony training and verbally guided attention training for disorders of attention. Chapter in J. R. Evans (Ed.), *Handbook of Neurofeedback*. Binghampton, NY: Haworth Medical Press, 301–319.
- Fehmi, L. G. (1978). EEG biofeedback, multichannel synchrony training, and attention. Chapter in A. A. Sugarman & R. E. Tarter (Eds.), *Expanding Dimensions of Consciousness*. New York: Springer.
- Fehmi, L. G., & Selzer, F. A. (1980). Biofeedback and attention training. Chapter in S. Boorstein (Ed.), *Transpersonal Psychotherapy*. Palo Alto: Science and Behavior Books.
- Fernandez, T., Herrera, W., Harmony, T., Diaz-Comas, L., Santiago, E., Sanchez, L., Bosch, J., Fernandez-Bouzas, A., Otero, G., Ricardo-Garcell, J., Barraza, C., Aubert, E., Galan, L., & Valdes, P. (2003). EEG and behavioral changes following neurofeedback treatment in learning disabled children. *Clinical Electroencephalography*, 34(3), 145–150.
- Fleischman, M. J., & Othmer, S. (2005). Case study: Improvements in IQ score and maintenance of gains following EEG biofeedback with mildly developmentally delayed twins. *Journal of Neurotherapy*, 9(4), 35–46.
- Foks, M. (2005). Neurofeedback training as an educational intervention in a school setting: How the regulation of arousal states can lead to improved attention and behaviour in children with special needs. *Educational & Child Psychology*, 22(3), 6777.
- Fox, D. J., Tharp, D. F., & Fox, L. C. (2005). Neurofeedback: An alternative and efficacious treatment for attention deficit hyperactivity disorder. *Applied Psychophysiology & Biofeedback*, 30(4), 365–274.

- Fritson, K. K., Wadkins, T. A., Gerdes, P., & Hof, D. (2007). The impact of neurotherapy on college students' cognitive abilities and emotions. *Journal of Neurotherapy*, 11(4), 1–9.
- Fuchs, T., Birbaumer, N., Lutzenberger, W., Gruzelier, J. H., & Kaiser, J. (2003). Neurofeedback treatment for attention deficit/hyperactivity disorder in children: A comparison with methylphenidate. *Applied Psychophysiology and Biofeedback*, 28, 112.
- Gani C., Birbaumer N. & Strehl U.(2008). Long term effects after feedback of slow cortical potentials and of theta-beta amplitudes in children with attention-deficit/hyperactivity disorder(ADHD). *International Journal of Bioelectromagnetism*, 10(4), 209–232.
- Geladé K, Janssen TW, Bink M, van Mourik R, Maras A, Oosterlaan J. Behavioral Effects of Neurofeedback Compared to Stimulants and Physical Activity in Attention-Deficit/Hyperactivity Disorder: A Randomized Controlled Trial. *J Clin Psychiatry*. 2016 Oct;77(10):e1270-e1277. doi: 10.4088/JCP.15m10149.
- González-Castro, P., Cueli, M., Rodríguez, C., García, T., Álvarez, L. (2016). Efficacy of
- neurofeedback versus pharmacological support in subjects with ADHD. *Applied Psychophysiology & Biofeedback*, 41(1),17-25. doi: 10.1007/s10484-015-9299-4
- Gross, E., El-Baz-Ayman A, S., Sokhadze, G, E. (2012). Induced EEG gamma oscillation alignment improves differentiation between autism and ADHD group responses in a facial categorization task. *Journal of Neurotherapy*.
- Hansen, L. M., Trudeau, D., & Grace, L. (1996). Neurotherapy and drug therapy in combination for adult ADHD, personality disorder, and seizure. *Journal of Neurotherapy*, 2(1), 6–14.
- Heinrich, H., Gelvensleben, H, & Strehl, U. (2007). Annotation: Neurofeedback- train your brain to train behavior. *Journal of Child Psychology & Psychiatry*, 48(1), 3-16.
- Heywood, C., Beale, I. (2003). EEG biofeedback vs. placebo treatment for attention
- deficit/hyperactivity disorder: A pilot study. *Journal of Attention*, 7(1), 43-55. doi: 10.1177/108705470300700105
- Hirshberg, L. M. (2007). Place of electroencephalographic biofeedback for attention-deficit/hyperactivity disorder. *Expert Review of Neurotherapeutics*, 7(4), 315–319.
- Hodgson, K., Hutchinson, A. D., Denson, L. (2012). Nonpharmacological treatments for

- ADHD: a meta-analytic review. *Journal of Attention Disorders*, 18(4), 275–282. doi: 10.1177/1087054712444732
- Hong, C., Lee, I. (2012). Effects of neurofeedback training on attention in children with intellectual disability. *Journal of Neurotherapy*
- Jackson, G. M., & Eberly, D. A. (1982). Facilitation of performance on an arithmetic task as a result of the application of a biofeedback procedure to suppress alpha wave activity. *Biofeedback & Self-Regulation*, 7(2), 211–221.
- Jacobs, E. H. (2005). Neurofeedback treatment of two children with learning, attention, mood, social, and developmental deficits. *Journal of Neurotherapy*, 9(4), 55–70.
- Janssen TWP, Bink M, Weeda WD, Geladé K, van Mourik R, Maras A, Oosterlaan J. Learning curves of theta/beta neurofeedback in children with ADHD. *Eur Child Adolesc Psychiatry*. 2017 May;26(5):573-582. doi: 10.1007/s00787-016-0920-8. Epub 2016 Nov 19.
- Kaiser, D. A., & Othmer, S. (2000). Effect of Neurofeedback on variables of attention in a large multi-center trial. *Journal of Neurotherapy*, 4(1), 5–15.
- Kirk, L. (2007). Neurofeedback protocols for subtypes of attention deficit/hyperactivity disorder. Chapter in J. R. Evans (Ed.), *Handbook of Neurofeedback*. Binghampton, NY: Haworth Medical Press, 267–299.
- Kotwal, D. B., Burns, W. J., & Montgomery, D. D. (1996). Computer-assisted cognitive training for ADHD: A case study. *Behavior Modification*, 20(1), 85–96.
- Kropotov, J. D., Grin-Yatsenko, V. A., Ponomarev, V. A., Chutko, L. S., Yakovenko, E. A., & Nikishena, I. S. (2007). Changes in EEG spectrograms, event-related potentials and event-related desynchronization induced by relative beta training in ADHD children. *Journal of Neurotherapy*, 11(2), 3–11.
- Kropotov, J. D., Grin-Yatsenko, V. A., Ponomarev, V. A., Chutko, L. S., Yakovenko, E. A., Nildshena, I. S. (2005). ERPs correlates of EEG relative beta training in ADHD children. *International Journal of Psychophysiology*, 55(1), 23–34.
- Kwon, H., Cho, J., Lee, E. (2009). EEG asymmetry analysis of the left and right brain activities during simple versus complex arithmetic learning. *Journal of Neurotherapy*, 13(2), 109–116.
- La Marca, J. P., O'Connor, R. E. (2016). Neurofeedback as an Intervention to Improve Reading Achievement in Students with Attention Deficit Hyperactivity Disorder, Inattentive Subtype. *NeuroRegulation* 3(2), 55-77.
- Lee EJ, Jung CH. Additive effects of neurofeedback on the treatment of ADHD: A randomized controlled study. *Asian J Psychiatr*. 2017 Feb;25:16-21. doi: 10.1016/j.ajp.2016.09.002. Epub 2016 Sep 30.

- Leins, U., Goth, G., Hinterberger, T., Klinger, C., Rumpf, N., & Strehl, U. (2007). Neurofeedback for children with ADHD: A comparison of SCP and theta/beta protocols. *Applied Psychophysiology & Biofeedback*, 32(2), 73–88.
- Levesque, J., Beauregard, M., & Mensour, B. (2006). Effect of neurofeedback training on the neural substrates of selective attention in children with attention-deficit/hyperactivity disorder: a functional magnetic resonance imaging study. *Neuroscience Letters*, 394(3), 216–221.
- Linden, M., Habib, T., & Radojevic, V. (1996). A controlled study of the effects of EEG biofeedback on cognition and behavior of children with attention deficit disorder and learning disabilities. *Biofeedback & Self-Regulation*, 21(1), 35–49.
- Lofthouse, N., Eugene, A.L., Hersch, S., Hurt, E., DeBeus, R. (2012). A review of neurofeedback treatment for pediatric ADHD. *Journal of Attention Disorders*, 16(5), 351–372. doi: 10.1177/1087054711427530
- Loo, S., & Barkley, R. (2005). Clinical utility of EEG in attention deficit hyperactivity disorder. *Applied Neuropsychology*, 12(2), 64–76.
- Lubar, J. F. (1985). EEG biofeedback and learning disabilities. *Theory into Practice*, 26, 106–111
- Lubar, J. F. (1995). Neurofeedback for the management of attention-deficit/hyperactivity disorders. Chapter in M. S. Schwartz (Ed.), *Biofeedback: A Practitioner's Guide*. New York, Guilford, 493–522.
- Lubar, J. F. (2003). Neurofeedback for the management of attention-deficit / hyperactivity disorders. Chapter in M. S. Schwartz & F. Andrasik (Eds.), *Biofeedback: A Practitioner's Guide* (Third Edition New York, Guilford), 409–437.
- Lubar, J. O., & Lubar, J. F. (1984). Electroencephalographic biofeedback of SMR and beta for treatment of attention deficit disorders in a clinical setting. *Biofeedback & Self-Regulation*, 9, 1–23.
- Lubar, J. F., & Shouse, M. N. (1976). EEG and behavioral changes in a hyperactive child concurrent with training of the sensorimotor rhythm (SMR): A preliminary report. *Biofeedback & Self-Regulation*, 1(3), 293–306.
- Lubar, J. F., & Shouse, M. N. (1977). Use of biofeedback in the treatment of seizure disorders and hyperactivity. *Advances in Clinical Child Psychology*, 1, 204–251.
- Lubar, J. F., Swartwood, M. O., Swartwood, J. N., & O'Donnell, P. H. (1995). Evaluation of the effectiveness of EEG neurofeedback training for ADHD in a clinical setting as measured by changes in T.O.V.A., scores,

behavioral ratings, and WISC-R performance. *Biofeedback & Self-Regulation*, 20(1), 83–99.

- Lutzenberger W, Elbert T, Rockstroh B, Birbaumer N. (1982) Biofeedback produced slow brain potentials and task performance. *Biological Psychology*, 14, 99–111.
- Malyutina, S. den Ouden, D.B. (2015). High-Definition tDCS of Noun and Verb Retrieval in Naming and Lexical Decision. *NeuroRegulation* 2(3), 111-125.
- Mayer, K., Wyckoff, S. N. (2012). Neurofeedback for adult attention-deficit/hyperactivity disorder: Investigation of slow cortical potential neurofeedback-Preliminary results. *Journal of Neurotherapy*
- McKnight, J. T., & Fehmi, L. G. (2001). Attention and neurofeedback synchrony training: Clinical results and their significance. *Journal of Neurotherapy*, 5(1–2), 45–62.
- Mohagheghi A, Amiri S, Moghaddasi Bonab N, Chalabianloo G, Noorazar SG,
- Tabatabaei SM, Farhang S. A Randomized Trial of Comparing the Efficacy of Two Neurofeedback Protocols for Treatment of Clinical and Cognitive Symptoms of ADHD: Theta Suppression/Beta Enhancement and Theta Suppression/Alpha Enhancement. *Biomed Res Int*. 2017;2017:3513281. doi: 10.1155/2017/3513281. Epub 2017 Feb 9.
- Monastra, V. J., (2005). Electroencephalographic biofeedback (neurotherapy) as a treatment for attention deficit hyperactivity disorder: Rationale and empirical foundation. *Child & Adolescent Psychiatric Clinics of North America*, 14(1), 55–82.
- Monastra, V. J., Lynn, S., Linden, M., Lubar, J. F., Gruzelier, J., & LaVaque, T. J. (2005). Electroencephalographic biofeedback in the treatment of attention-deficit/hyperactivity disorder. *Applied Psychophysiology & Biofeedback*, 30(2), 95–114.
- Monastra, V. J., Monastra, D. M., & George, S. (2002). The effects of stimulant therapy, EEG biofeedback, and parenting style on the primary symptoms of attentiondeficit/hyperactivity disorder. *Applied Psychophysiology & Biofeedback*, 27(4), 231–249.
- Moghanloo, M., Aguilar Vafaie, M. E., Rostami, R., & Farahani, H. (2014). Determination of the Effects of Neurofeedback Training in the Neuropsychological Rehabilitation in Inattentive and Combined Subtypes of Attention Deficit/Hyperativity Disorder. *Journal of NeuroRegulation*, 1(2), 131-150.
- Mulholland, T. Goodman, D., & Boudrot, R. (1983). Attention and regulation of EEG alpha-attenuation responses. *Biofeedback & Self-Regulation*, 8(4), 585–600.

- Nash, J. K. (2000). Treatment of attention-deficit hyperactivity disorder with neurotherapy. *Clinical Electroencephalography*, 31(1), 30–37.
- Norris, S. L., Lee, C-T., Burshteyn, D., & Cea-Aravena, J. (2001). The effects of performance enhancement training on hypertension, human attention, stress, and brain wave patterns: A case study. *Journal of Neurotherapy*, 4(3), 29–44.
- Norris, S. L., Lee, C., Cea, J., & Burshteyn, D. (1998). Performance enhancement training effects on attention: A case study. *Journal of Neurotherapy*, 3(1), 19–25.
- Orlando, P. C., & Rivera, R. O. (2004). Neurofeedback for elementary students with identified learning problems. *Journal of Neurotherapy*, 8(2), 5–19.
- Othmer, S., Othmer, S. F., & Kaiser, D. A. (1999). EEG biofeedback: Training for AD/HD and related disruptive behavior disorders. Chapter in J. A. Incorvaia & B. F. Mark-Goldstein, & D. Tessmer (Eds.), *Understanding, Diagnosing, & Treating AD/HD in Children and Adolescents*. New York: Aronson, 235–297
- Patrick, G. J. (1996). Improved neuronal regulation in ADHD: An application of 15 sessions of photic-driven EEG neurotherapy. *Journal of Neurotherapy*, 1(4), 27–36.
- Perreau-Linck, E., Lessard, N., Lévesque, J., Beauregard, M. (2010). Effects of neurofeedback training on inhibitory capacities in ADHD children: A single-blind, randomized, placebo-controlled study. *Journal of Neurotherapy*, 14(3), 229–242.
- Pigott, E. H., Bodenhamer-Davis, E., Davis, E. (2013). Ending the evidentiary & insurance reimbursement bias against neurofeedback to treat ADHD: It will take clinician action in addition to the compelling science. *Journal of Neurotherapy*
- Pigott, E. H. & Cannon, R. (2014). Neurofeedback is the Best Available First-Line
- Treatment for ADHD: What is the Evidence for this Claim?. *Journal of NeuroRegulation*, 1(1), 4-23.
- Pigott, E. H. & Cannon, R. (2014). Neurofeedback Requires Better Evidence of Efficacy Before It Should Be Considered a Legitimate Treatment for ADHD: What is the Evidence for this Claim?. *Journal of NeuroRegulation*, 1(1), 25-45.
- Pratt, R. R., Abel, H., & Skidmore, J. (1995). The effects of neurofeedback training with background music on EEG patterns of ADD and ADHD children. *International Journal of Arts Medicine*, 4(1), 24–31.

- Pulvermuller, F., Mohr, B., Schleichert, H., & Veit, R. (2000). Operant conditioning of left-hemispheric slow cortical potentials and its effect on word processing. *Biological Psychology*, 53, 177–215.
- Putman, J. A., Othmer, S. F., Othmer, S., & Pollock, V. E. (2005). TOVA results following interhemispheric bipolar EEG training. *Journal of Neurotherapy*, 9(1), 37–52.
- Rasey, H. W., Lubar, J. E., McIntyre, A., Zoffuto, A. C., & Abbott, P. L. (1996). EEG biofeedback for the enhancement of attentional processing in normal college students. *Journal of Neurotherapy*, 1(3), 15–21.
- Rockstroh, B., Elbert, T., Lutzenberger, W., & Birbaumer, N. (1990). Biofeedback: Evaluation and therapy in children with attentional dysfunction. Chapter in A. Rothenberger (Ed.), *Brain and Behaviour in Child Psychiatry*. Berlin: Springer Verlag, 345–357.
- Ros T, Baars BJ, Lanius RA, & Vuilleumier P. (2014), Tuning pathological brain oscillations with neurofeedback: A systems neuroscience framework. *Frontiers in Human Neuroscience* 8(1008).
- Rossiter, T. R. (2004). The effectiveness of neurofeedback and stimulant drugs in treating AD/HD: Part I. Review of methodological issues. *Applied Psychophysiology & Biofeedback*, 29(2), 135–140.
- Rossiter, T. R. (2005). The effectiveness of neurofeedback and stimulant drugs in treating AD/HD: Part II. Replication. *Applied Psychophysiology & Biofeedback*, 29(4), 233–243.
- Rossiter, T. (2002). Neurofeedback for AD/HD: A ratio feedback case study. *Journal of Neurotherapy*, 6(3), 9–35.
- Rossiter, T. R. (1998). Patient directed neurofeedback for ADHD. *Journal of Neurotherapy*, 2(4), 54–63.
- Rossiter, T. R., & La Vaque, T. J. (1995). A comparison of EEG biofeedback and psychostimulants in treating attention deficit/hyperactivity disorders. *Journal of Neurotherapy*, 1(1), 48–59.
- Russell, H. L., & Carter, J. L. (1997). EEG driven audio-visual stimulation unit for enhancing cognitive abilities of learning disordered boys: Final report. Washington, D.C.: U.S. Department of Education (SBIR), Contract number RA94130002.
- Russell-Chapin, L., Kemmerly, T., Wen-Ching, L., (2013). The effects of neurofeedback in the default mode network: pilot study results of medicated children with ADHD. *Journal of Neurotherapy*
- Scheinbaum, S., Zecker, S., Newton, C. J., & Rosenfeld, P. (1995). A controlled study of EEG biofeedback as a treatment for attention-deficit disorders. In Proceedings of the 26th Annual Meeting of the Association for Applied Psychophysiology and Biofeedback, 131–134.

- Sheer, D. E. (1975). Biofeedback training of 40-Hz EEG and behavior. Chapter in N. Burch & H. I. Altshuler (Eds.), *Behavior and Brain Electrical Activity*. New York: Plenum.
- Sheer, D. E. (1977). Biofeedback training of 40-Hz EEG and behavior. Chapter in J. Kamiya et al., *Biofeedback and Self-Control 1976/1977*. An Annual Review. Chicago: Aldine.
- Shin, D. I., Lee, J. H., Lee, S. M., Kim, I. Y., & Kim, S. I. (2004). Neurofeedback training with virtual reality for inattention and impulsiveness. *Cyberpsychology & Behavior*, 7(5), 519–526.
- Shouse, M. N., & Lubar, J. F. (1979). Operant conditioning of EEG rhythms and Ritalin in the treatment of hyperkinesis. *Biofeedback & Self-Regulation*, 4(4), 299–311.
- Stökl-Drax, T. (2014). QEEG and 19-Channel Neurofeedback as a Clinical Evaluation Tool for Children with Attention, Learning, and Emotional Problems. *Journal of NeuroRegulation*, 1(2), 173-182
- Sokhadze, E. M., Baruth, J, M. (2012). Event-related potential study of attention regulation during illusory figure categorization task in ADHD, autism spectrum disorder, and typical children. *Journal of Neurotherapy*.
- Stankus, T. (2008). Can the brain be trained? Comparing the literature on the use of EEG biofeedback/neurofeedback as an alternative or complementary therapy for attention deficit disorder (ADHD). *Behavioral & Social Sciences Librarian*, 26(4), 20–56.
- Strehl, U., Leins, U., Goth, G., Klinger, C., Hinterberger, T., and Birbaumer, N. (2006). Self-regulation of slow cortical potentials: A new treatment for children with attentiondeficit/hyperactivity disorder. *Pediatrics*, 118, 1530–1540.
- Surmeli, T., & Ertem, A. (2007). EEG neurofeedback treatment of patients with Down Syndrome. *Journal of Neurotherapy*, 11(1), 63–68.
- Swatzyna, R.J., Tarnow, J.D., Roark, A., & Mardick, J. (2016). The Utility of EEG in Attention Deficit Hyperactivity Disorder: A Replication Study. *Clinical EEG and Neuroscience*. DOI 10.1177-1550059416640441.
- Swingle, P. G. (2002). Parameters associated with rapid neurotherapeutic treatment of common ADD (CADD). *Journal of Neurotherapy*, 5(4), 73–84.
- Swingle, P. G. (1996). Sub threshold 10-Hz sound suppresses EEG theta: Clinical application for the potentiation of neurotherapeutic treatment of ADD/ADHD. *Journal of Neurotherapy*, 2(1), 15–22.
- Tansey, M. A. (1984). EEG sensorimotor rhythm biofeedback training: Some effects on the neurological precursors of learning disabilities. *International Journal of Psychophysiology*, 3, 85–99.
- Tansey, M. A. (1985). Brainwave signatures—An index reflective of the brain=s functional neuroanatomy: Further findings on the effect of EEG

sensorimotor rhythm biofeedback training on the neurologic precursors of learning disabilities. *International Journal of Psychophysiology*, 3, 85–89.

- Tansey, M. A. (1990). Righting the rhythms of reason: EEG biofeedback training as a therapeutic modality in a clinical office setting. *Medical Psychotherapy*, 3, 57–68.
- Tansey, M. A. (1991). Wechsler (WISC-R) changes following treatment of learning disabilities via EEG biofeedback in a private practice setting. *Australian Journal of Psychology*, 43, 147–153.
- Tansey, M. A. (1993). Ten-year stability of EEG biofeedback results for a hyperactive boy who failed fourth grade perceptually impaired class. *Biofeedback & Self-Regulation*, 18, 33–44.
- Tansey, M. A., & Bruner, R. L. (1983). EMG and EEG biofeedback training in the treatment of 10-year old hyperactive boy with a developmental reading disorder. *Biofeedback & Self-Regulation*, 8(1), 25–37.
- Thompson, L., & Thompson, M. (1998). Neurofeedback combined with training in metacognitive strategies: Effectiveness in students with ADD. *Applied Psychophysiology & Biofeedback*, 23(4), 243–263.
- Thornton, K. E., & Carmody, D. P. (2005). Electroencephalogram biofeedback for reading disability and traumatic brain injury. *Child & Adolescent Psychiatric Clinics of North America*, 14(1), 137–162.
- Tinius, T. P., & Tinius, K. A. (2001). Changes after EEG biofeedback and cognitive retraining in adults with mild traumatic brain injury and attention deficit disorder. *Journal of Neurotherapy*, 4(2), 27–44.
- Williams, J. (2010). Does neurofeedback help reduce attention-deficit hyperactivity disorder? *Journal of Neurotherapy*, 14(4), 261–279.
- Vachon-Presseau, E., Achim, A., Benoit-Lajoie, A. (2009). Direction of SMR and beta change with attention in adults. *Journal of Neurotherapy*, 13(1), 22–29.
- Valdez, M. (1985). Effects of biofeedback-assisted attention training in a college population. *Biofeedback & Self-Regulation*, 10(4), 315–324.
- Vernon, D., Egner, T., Cooper, N., Compton, T., Neilands, C., Sheri, A., & Gruzelier, J. (2003). The effect of training distinct neurofeedback protocols on aspects of cognitive performance. *International Journal of Psychophysiology*, 47, 75–85.
- Vollebregt, M. A., Dongen-Boomsma, M., Buitelaar, J.K., Slaats-Willemse, D. (2014). Does EEG-neurofeedback improve neurocognitive functioning in children with attention-deficit/hyperactivity disorder? a systematic review and a double-blind placebo-controlled study. *Journal of Child Psychology and Psychiatry*, 55(5), 460–472. doi:10.1111/jcpp.12143

- Wadhwani, S., Radvanski, D. C., & Carmody, D. P. (1998). Neurofeedback training in a case of attention deficit hyperactivity disorder. *Journal of Neurotherapy*, 3(1), 42–49.
- Walker, J. E., & Norman, C. A. (2006). The neurophysiology of dyslexia: A selective review with implications for neurofeedback remediation and results of treatment in twelve consecutive patients. *Journal of Neurotherapy*, 10(1), 45–55.
- Warner, D.A., Barabasz, A., & Barabasz, M. (2000). The efficacy of Barabasz's alert hypnosis and neurotherapy on attentiveness, impulsivity and hyperactivity in children with ADHD. *Child Study Journal*, 30(1), 43–49.
- Xiong, Z., Shi, S., & Xu, H. (2005). A controlled study of the effectiveness of EEG biofeedback training on children with attention deficit hyperactivity disorder. *Journal of Huazhong University of Science & Technology*, 25(3), 368–370.
- Zilverstand A, Sorger B, Slaats-Willemse D, Kan CC, Goebel R, Buitelaar JK. fMRI Neurofeedback Training for Increasing Anterior Cingulate Cortex Activation in Adult Attention Deficit Hyperactivity Disorder. An Exploratory Randomized, Single-Blinded Study. *PLoS One*. 2017 Jan 26;12(1):e0170795. doi: 10.1371/journal.pone.0170795. eCollection 2017.